



®

Kalki

WHERE QUALITY IS A TRADITION

SWITCHGEARS

Miniature Circuit Breaker (MCB) PRICE LIST 2024



IS/IEC-60898-1



CML-8800110915



Email :- kalki_switchgears@yahoo.co.in

Miniature Circuit Breaker (MCB)

Product Features

Range Highlights

Patented Design

- True contact indication for individual pole
- Conforms to IS/IEC 60898
- Breaking capacity of 10kA throughout the range
- Available in B & C Curve
- Low watt loss - almost 50% of the values prescribed
- Trip free mechanism
- Advance Design with hammer trip mechanism
- No Line - Load bias
- Ease of Busbar Connectivity
- IP 20 Protection



WHERE QUALITY IS A TRADITION

SWITCHGEARS

Short Circuit

Overload

Safety

Design

Reliability

installation

Performance



Current Rating (In)	Modulers 1 Mod = 17.5 mm	C-Curve Cat. No. KOM	PRICE ₹ Per Unit	PACK
Single Pole (SP)				
6A	1	KOM01	160	1/12/144
10A	1	KOM02	160	1/12/144
16A	1	KOM03	160	1/12/144
20A	1	KOM04	160	1/12/144
25A	1	KOM05	160	1/12/144
32A	1	KOM06	160	1/12/144
40A	1	KOM07	288	1/12/144
50A	1	KOM08	364	1/12/144
63A	1	KOM09	364	1/12/144
Double Pole (DP)				
6A	2	KOM11	540	1/6/72
10A	2	KOM12	540	1/6/72
16A	2	KOM13	540	1/6/72
20A	2	KOM14	540	1/6/72
25A	2	KOM15	540	1/6/72
32A	2	KOM16	540	1/6/72
40A	2	KOM17	698	1/6/72
50A	2	KOM18	802	1/6/72
63A	2	KOM19	802	1/6/72
Single Pole Neutral (SPN)				
6A	3	KOM21	520	1/6/72
10A	3	KOM22	520	1/6/72
16A	3	KOM23	520	1/6/72
20A	3	KOM24	520	1/6/72
25A	3	KOM25	520	1/6/72
32A	3	KOM26	520	1/6/72
40A	3	KOM27	664	1/6/72
50A	3	KOM28	722	1/6/72
63A	3	KOM29	722	1/6/72
Three Pole (TP)				
6A	4	KOM31	760	1/4/48
10A	4	KOM32	760	1/4/48
16A	4	KOM33	760	1/4/48
20A	4	KOM34	760	1/4/48
25A	4	KOM35	760	1/4/48
32A	4	KOM36	760	1/4/48
40A	4	KOM37	1120	1/4/48
50A	4	KOM38	1180	1/4/48
63A	4	KOM39	1180	1/4/48
Three Pole Neutral (TPN)				
6A	5	KOM41	1120	1/3/36
10A	5	KOM42	1120	1/3/36
16A	5	KOM43	1120	1/3/36
20A	5	KOM44	1120	1/3/36
25A	5	KOM45	1120	1/3/36
32A	5	KOM46	1120	1/3/36
40A	5	KOM47	1560	1/3/36
50A	5	KOM48	1600	1/3/36
63A	5	KOM49	1600	1/3/36
Four Pole (FP)				
6A	6	KOM51	1160	1/3/36
10A	6	KOM52	1160	1/3/36
16A	6	KOM53	1160	1/3/36
20A	6	KOM54	1160	1/3/36
25A	6	KOM55	1160	1/3/36
32A	6	KOM56	1160	1/3/36
40A	6	KOM57	1570	1/3/36
50A	6	KOM58	1640	1/3/36
63A	6	KOM59	1640	1/3/36



ISOLATOR/SWITCH DISCONNECTOR

- Range Highlights
- Patented Design True contact indication for individual pole
- Conforms to IEC 60947-3
- Low watt loss - almost 50% of the values prescribed
- Ease of Busbar Connectivity
- IP 20 Protection
- Service Duty AC22A

Current rating (In)	Modules 1 Mod= 17.5mm	Cat. No.KOS	PRICE ₹ Per Unit	PACK
Double Pole (DP)				
40A	1	KOS01	350	1/6/72
63A	1	KOS02	430	1/6/72
Three Pole (TP)				
40A	1	KOS11	665	1/4/48
63A	1	KOS12	760	1/4/48
Four Pole (FP)				
40A	1	KOS21	690	1/3/36
63A	1	KOS22	790	1/3/36



RESIDUAL CURRENT CIRCUIT BREAKER

Range Highlights

- Conforms to IEC 61008-1 & IS:12640-1-2016
- High short-circuit current withstand capacity 10k
- Dual termination possible for both cable and comb type Busbar
- Automatically measures and disconnect the circuit when earth fault/ leakage current occurs and exceeds the rated sensitivity
- Rated Currents from 16A to 63A
- Rated IAn Sensitivity 30mA, 100mA and 300mA



Current rating (In)	Modules 1 Mod= 17.5mm	Cat. No.	PRICE ₹ Per Unit
Double Pole (30mA)			
25A	2	KOR1	1470
40A	2	KOR2	1575
63A	2	KOR3	1785
Double Pole (100mA)			
25A	2	KOR11	1470
40A	2	KOR12	1575
63A	2	KOR13	1785
Double Pole (300mA)			
25A	2	KOR21	1575
40A	2	KOR22	1680
63A	2	KOR23	1922
Four Pole (30mA)			
25A	4	KOR31	1680
40A	4	KOR32	1943
63A	4	KOR33	2048
Four Pole (100mA)			
25A	4	KOR41	1680
40A	4	KOR42	1943
63A	4	KOR43	2079
Four Pole (300mA)			
25A	4	KOR51	1785
40A	4	KOR52	2121
63A	4	KOR53	2289



Product Range

**Miniature Circuit Breaker (MCB)
Isolator / Switch Disconnecter**

**Residual Current Circuit Breaker (RCCB)
Distribution Board (DB)**

**PROUDLY DESIGNED
AND MANUFACTURED
IN INDIA**

Liability limited to repair/replacement of the product only
All Rights Reserved

KALKI SWITCHGEARS

A/3, Laghu Udyog Kendra, I.B. Patel Rd., Goregaon (E), Mumbai - 400 063.
Customer Care No. :9869520618 Email :- kalki_switchgears@yahoo.co.in

